



FIG. 1



003250" 04807950

FIG. 2



008260" 01807950

008260" 04807560

FIG. 3




FIG. 4(a)




FIG. 4(b)





FIG. 5




003250" 0480/950

002260 " 0480/950

FIG. 6(a)

FIG. 6(b)



008250" 04807960

FIG. 7 (a)





FIG. 7 (b)



REPEAT PRINTING
& TRANSPORTATION
PER RUNNING

FIG. 7 (c)





FIG. 8



003250" 04804950

FIG. 9





FIG. 10



008260" 04807960

FIG. 11(a)

FIG. 11(b)

TRANSPORTATION PATH OF
RECORDING PAPER




FIG. 12(a)




FIG. 12(b)





FIG. 13



008250 04807950

008260" 04807960

FIG. 14 (a)




FIG. 14 (b)






FIG. 15 (a)




PRINT DATA OF ODD-NUMBERED COLUMNS

FIG. 15 (b)



PRINT DATA OF EVEN-NUMBERED COLUMNS


FIG. 15 (c)



SUPERIMPOSING OF ODD-NUMBERED
COLUMNS AND EVEN-NUMBERED COLUMNS

008260" 04807960

FIG. 16



008250" 04807950

008250" 04807960

FIG. 17 (a)





FIG. 17 (b)



PITCH —> |<—

—> |<— HALF PITCH SHIFT

PITCH —> |<—

FIG. 18 (a)




FIG. 18 (b)





FIG. 18 (c)



008260 04807960

FIG. 19 (a)

FIG. 19 (b)






FIG. 20 (a)

FIG. 20 (b)

FIG. 20 (c)



PRINT DATA OF
ODD-NUMBERED ROWS

PRINT DATA OF
EVEN-NUMBERED ROWS

SUPERIMPOSING OF
ODD-NUMBERED ROWS AND
EVEN-NUMBERED ROWS

FIG. 21 (a)




FIG. 21 (b)

FIG. 21 (c)






FIG. 22 (a)




PRINT DATA OF ODD-NUMBERED
ROWS/ODD-NUMBERED COLUMNS

FIG. 22 (b)



PRINT DATA OF EVEN-NUMBERED
ROWS/EVEN-NUMBERED COLUMNS

FIG. 22 (c)



SUPERIMPOSING OF ODD-NUMBERED
ROWS/ODD-NUMBERED COLUMNS
AND EVEN-NUMBERED ROWS
/EVEN-NUMBERED COLUMNS

008250" 01807960

008260" 04807960

FIG. 23 (a)

FIG. 23 (b)





FIG. 23 (c)







[illegible]

FIG. 25(a)



WATERMARK

FIG. 25(b)



PRINT DATA






FIG. 25(c)




PRINT RESULT

FIG. 26



008250" 01804950

FIG. 27



008250" 04807950

09670840.092800

FIG. 28






FIG. 29




008250-0480/960

FIG. 30




008260 01807360

FIG. 31




008260" 04802960

FIG. 32




00570840 092300

FIG. 34



008260" 04807960

FIG. 35



008260-04802960

FIG. 36




FIG. 37






FIG. 38




008260-04907960

FIG. 39



008260" 04807960

FIG. 40



008250" 04807960

FIG. 41 (a)




FIG. 41 (b)





FIG. 42



008260" 04807960